

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: LS CHAINLUBE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS (UK) PLC.

New Century Street

Hanley

Stoke-on-Trent, Staffordshire, ST1 5HU

UK

Telephone: +44 (0) 1782 203700

Contact Person: Product Safety department E-mail: product.safety@fuchs-oil.com

Telephone: +44 (0) 1782 203700

1.4 Emergency telephone number: UK NHS: Dial 111. Ireland NPIS: Dial +353 1 8092566.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Environmental Hazards

Chronic hazards to the aquatic H411: Toxic to aquatic life with long lasting ef-Category 2

environment fects.

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements

Issue Date: 06.07.2015 Revision Date: 20.03.2020 Print date: 25.03.2020

Version: 3.0 SDS_GB - EN - 000000000600916947





Hazard Statement(s): H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention: P273: Avoid release to the environment.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations,

and product characteristics at time of disposal.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the envi-

ronment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture of synthetic base oils with additives.

Chemical name	Identifier	Concentration *	REACH Registra- tion No.	Notes
Pentaerythritol ester	EC: 451-180-6	50,00% - <100,00%	01-0000019052-80	
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	EINECS: 270-128-1	5,00% - <10,00%		
phosphate	EINECS: 215-548-8	1,00% - <3,00%		

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Classification

Chemical name	Identifier	Classification	
Pentaerythritol ester	EC: 451-180-6	CLP:	, Aquatic Chronic 4;H413
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	EINECS: 270-128-1	CLP:	Aquatic Chronic 2;H411
phosphate	EINECS: 215-548-8		Repr. 2;H361f, Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1

CLP: Regulation No. 1272/2008.

For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

Issue Date: 06.07.2015 Revision Date: 20.03.2020

Print date: 25.03.2020 SDS_GB - EN - 00000000600916947

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eve contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing me-

dia:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or mix-

ture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire fighting proce-

dures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter

drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environmental manager must be informed of all major spillages. Do not allow to

enter drainage system, surface or ground water.

Issue Date: 06.07.2015 Revision Date: 20.03.2020 Print date: 25.03.2020

SDS_GB - EN - 000000000600916947



6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on dis-

posal.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibili-

Local regulations concerning handling and storage of waterpolluting prod-

ucts have to be followed.

ties:

7.3 Specific end use(s): Not applicable

Storage Class: 10, Combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air-

borne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equip-

> ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad-

hered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling. Avoid contact with

skin and eyes. Goggles/face shield are recommended. If risk of splashing,

wear safety goggles or face shield.

Issue Date: 06.07.2015 Revision Date: 20.03.2020 Print date: 25.03.2020 SDS_GB - EN - 000000000600916947

Version: 3.0

4/10



Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufactur-

er of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pock-

ets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing va-

pour/ aerosol.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-

wear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state:liquidForm:liquidColor:Yellow

Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: not applicable

Freezing point: -50 °C

Boiling Point: Value not relevant for classification

Flash Point: 290 °C

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas):

Value not relevant for classification

Vapor pressure:Not applicable for mixturesVapor density (air=1):Not applicable for mixtures

Density: 0,97 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water:Slightly SolubleSolubility (other):No data available.

Issue Date: 06.07.2015 Revision Date: 20.03.2020

Print date: 25.03.2020

SDS_GB - EN - 000000000600916947



Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

Kinematic viscosity: 70 mm2/s (40 °C)

Explosive properties:Value not relevant for classification
Oxidizing properties:
Value not relevant for classification

9.2 Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and oth-

er toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

phosphate LD 50 (Rat): > 5.000 mg/kg

Dermal

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

phosphate LD 50 (Rabbit): > 5.000 mg/kg

Inhalation

Product:

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

Issue Date: 06.07.2015 Revision Date: 20.03.2020 Print date: 25.03.2020

SDS_GB - EN - 000000000600916947

Version: 3.0



Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Other adverse effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

phosphate LC 50 (Fish, 96 h): 0,6 mg/l

Aquatic Invertebrates Specified substance(s)

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

EC 50 (Water Flea): 1,1 mg/l

phosphate EC 50 (Water Flea, 48 h): 0,146 mg/l (OECD 202)

Chronic ToxicityProduct: Based on available data, the classification criteria are met.

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

12.3 Bioaccumulative potential

SDS_GB - EN - 000000000600916947

Issue Date: 06.07.2015 Revision Date: 20.03.2020

Version: 3.0 Print date: 25.03.2020



Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: Toxic to aquatic life with long lasting effects.

Water Hazard Class

(WGK):

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

European Waste Codes

13 02 06*: synthetic engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID

14.1 UN Number: UN 3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(phosphate, Polyalkyl arylamine)

14.3 Transport Hazard Class(es)

Class: 9
Label(s): 9
Hazard No. (ADR): 90
Tunnel restriction code: (-)

14.4 Packing Group: III

14.5 Environmental hazards: Dangerous for the environment

14.6 Special precautions for user: -

ADN

14.1 UN Number: UN 3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

14.3 Transport Hazard Class(es)

Class: 9
Label(s): 9
14.3 Packing Group: III

14.5 Environmental hazards: Dangerous for the environment

14.6 Special precautions for user: -

Issue Date: 06.07.2015 Revision Date: 20.03.2020 Print date: 25.03.2020 SDS_GB - EN - 000000000600916947

Revision Date: 20.03.2020 Version: 3.0
Print date: 25.03.2020



IMDG

14.1 UN Number: UN 3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(phosphate, Polyalkyl arylamine)

14.3 Transport Hazard Class(es)

Class: 9 Label(s): 9 EmS No.: F-A, S-F

Ш 14.3 Packing Group: 14.5 Environmental hazards: Ρ 14.6 Special precautions for user:

IATA

14.1 UN Number: UN 3082

Environmentally hazardous substance, liquid, n.o.s.(phosphate, 14.2 Proper Shipping Name:

Polyalkyl arylamine)

14.3 Transport Hazard Class(es):

Class: 9 Label(s): 9MI 14.4 Packing Group: Ш

14.5 Environmental hazards: Dangerous for the environment

14.6 Special precautions for user:

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

15.2 Chemical safety as-

sessment:

No Chemical Safety Assessment has been carried out.

DIRECTIVE 2012/18/EU (SEVESO III) on the control of major-accident hazards involving dangerous sub-

The product falls into the scope of the SEVESO III Directive.

Hazard category in accordance with Regulation (EC) No 1272/2008	Qualifying quantity for the application of Lower-tier requirements:	Qualifying quantity for the application of Upper-tier requirements:
E2: E2. Hazardous to the aquatic environment	200 t	500 t

SECTION 16: Other information

SDS_GB - EN - 000000000600916947

Revision Information: Vertical lines in the margin indicate an amendment.

Issue Date: 06.07.2015 Revision Date: 20.03.2020

Version: 3.0 Print date: 25.03.2020

9/10



Wording of the H-statements in section 2 and 3

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Other information: The classification complies with the current EU lists; however, it has been

supplemented with expert literature information and information provided by/about our company. It was derived from the test data and/or the applica-

tion of the conventional method.

Revision Date: 20.03.2020

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig-

nature.

Issue Date: 06.07.2015 Revision Date: 20.03.2020 Print date: 25.03.2020

SDS_GB - EN - 000000000600916947